


**AMENDMENTS TO THE CLAIMS:**

Kindly replace the previous claim set with the claim set that appears below, in which Claim 11 has been cancelled and Claims 1-10 and 12-19 have been amended to read as follows:

1. (Currently Amended) A method for improving the skin over time in a curable silicone composition comprising the steps of:

A. providing a curable silicone composition comprising:


a) a compound having the structural formula:



wherein R is a C<sub>1-20</sub> alkyl which ~~may be~~ is optionally substituted or unsubstituted or an unsaturated free radical-curing group; R<sup>1</sup> is hydrogen or a C<sub>1-6</sub> hydrocarbon radical; R<sup>2</sup> is a hydrolyzable

group; X is oxygen or  $\begin{array}{c} \text{---N---} \\ | \\ \text{R}^3 \end{array}$ ; and R<sup>3</sup> is H or C<sub>1-12</sub> hydrocarbyl group; ~~and~~

b) a polymer having the ~~structure~~ structural formula:



(II)

wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R<sup>e</sup> is CH<sub>3</sub> or H; and

c) a cure system,

wherein when in formula I X is O and R is CH<sub>3</sub>, the composition demonstrates a ten fold increase in skin over time when exposed to curingly effective conditions as compared to a curable composition wherein when in formula I either X is not O or R is not CH<sub>3</sub>, or both.

2. (Currently Amended) The ~~composition~~ method according to claim 1, wherein said curable composition is a dual cure photo/moisture curable composition.

3. (Currently Amended) The ~~composition~~ method according to claim 2, wherein R is alkenyl, which may be substituted or unsubstituted.

4. (Currently Amended) The ~~composition~~ method according to claim 1, wherein said curable composition is a moisture curable composition.

5. (Currently Amended) The ~~composition~~ method according to claim 4, wherein R is a C<sub>1-20</sub> alkyl which ~~may be~~ is optionally substituted or unsubstituted.


6. (Currently Amended) The ~~composition~~ method according to claim 4, wherein R is a methyl group.

7. (Currently Amended) The ~~composition~~ method according to claim 1, wherein X is O.

8. (Currently Amended) The ~~composition~~ method according to claim 1, wherein R<sup>2</sup> is an alkoxy group having the formula  $R^4O-$ , wherein R<sup>4</sup> is a C<sub>1-2</sub> alkyl group.


9. (Currently Amended) The ~~composition~~ method according to claim 1, wherein R is  $\begin{array}{c} R^5 \\ \diagup \\ C \\ \diagdown \\ R^6 \end{array} = \begin{array}{c} C \\ | \\ R^7 \end{array}$ , and R<sup>5</sup>, R<sup>6</sup> and R<sup>7</sup> are independently selected from the group consisting of hydrogen, halogen and organo radicals.

10. (Currently Amended) A composition comprising:  
a) a compound having the structural formula:



wherein R is a C<sub>1-20</sub> alkyl which is optionally substituted or an unsaturated free radical-curing group; R<sup>1</sup> is hydrogen or a C<sub>1-6</sub> hydrocarbon radical; R<sup>2</sup> is a hydrolyzable group; X is oxygen; and R<sup>3</sup> is H or C<sub>1-12</sub> hydrocarbyl group; and

b) a polymer having the structural formula:



(II)

wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R<sup>e</sup> is CH<sub>3</sub> or H. ~~The composition according to claim 1,~~ wherein in formula I R is CH<sub>3</sub>, ~~X is O,~~ R<sup>2</sup> is OR<sup>4</sup>, R<sup>4</sup> is a C<sub>1-2</sub> alkyl group, and R<sup>1</sup> is a member selected from the group consisting of hydrogen or a C<sub>1-6</sub> hydrocarbyl radical.

Claim 11. (Cancelled).

12. (Currently Amended) The ~~composition method of~~ composition method of according to claim 1~~4~~, wherein the cure system includes a catalyst selected from the group consisting of tetraisopropyltitanate, dibutyltin dilaurate and tetramethylguanidine.


13. (Currently Amended) The ~~composition method of~~ composition method of according to claim 12, wherein the cure system further includes a photoinitiator selected from the group consisting of 1-hydroxycyclohexyl phenyl ketone, 2-methyl-1-[4-(methylthio)phenyl]-2-morpholino propan-1-one, 2-benzyl-2-N,N-dimethylamino-1-(4-morpholinophenyl)-1-butanone, the combination of 1-hydroxy cyclohexyl phenyl ketone and benzophenone, 2,2-dimethoxy-2-phenyl acetophenone, the combination of bis(2,6-

dimethoxybenzoyl-2,4,4-trimethyl pentyl) phosphine oxide and 2-hydroxy-2-methyl-1-phenyl-propan-1-one, and [bis (2,4,6-trimethyl benzoyl) phenyl phosphine oxide], 2-hydroxy-2-methyl-1-phenyl-1-propan-1-one, the combination of 2,4,6-trimethylbenzoyldiphenyl-phosphine oxide and 2-hydroxy-2-methyl-1-phenyl-propan-1-one, dl-camphorquinone, alkyl pyruvates, 2,2-dimethoxy-2-phenyl acetophenone, 2-hydroxy-2-methyl-1-phenyl-1-propane, bis(2,4,6-trimethyl benzoyl) phenyl phosphine oxide, bis(2,6-dimethoxybenzoyl-2,4,4-trimethylpentyl) phosphine oxide, 2-hydroxy-2-methyl-1-phenyl-propan-1-one, bis(n<sup>5</sup>-2,4-cyclopentadien-1-yl)-bis[2,6-difluoro-3-(1H-pyrrol-1-yl)phenyl]titanium, diethoxyacetophenone and combinations thereof.

14. (Currently Amended) The ~~composition method~~ of according to claim 1, wherein A is a siloxane.


15. (Currently Amended) A curable composition comprising:

a) a compound having the structural formula:




wherein R is a C<sub>1-20</sub> alkyl which is optionally substituted or an unsaturated free radical-curing group; R<sup>1</sup> is hydrogen or a C<sub>1-6</sub>

hydrocarbon radical; R<sup>2</sup> is a hydrolyzable group; X is oxygen or



; and R<sup>3</sup> is H or C<sub>1-12</sub> hydrocarbyl group; and

b) a polymer having the structural formula:



(II)

wherein A is a backbone selected from the group consisting of  
organic and siloxane backbones, and R<sup>e</sup> is CH<sub>3</sub> or H, The

~~composition of Claim 1~~ wherein formula I and formula II are


present in amounts such that the resulting ratio of said

hydrolyzable groups of formula I to said OH groups of formula II

is 1.2.

16. (Currently Amended) A curable composition  
 comprising the reaction product of

a) a compound having the structural formula:



(I)

wherein R is a member selected from the group consisting of a  
C<sub>1-20</sub> alkyl group which may be is optionally substituted or


~~unsubstituted~~ or is an unsaturated free radical-curing group; R<sup>1</sup>

is a member selected from the group consisting of hydrogen or a

C<sub>1-6</sub> hydrocarbyl radical; R<sup>2</sup> is a hydrolyzable group; X is oxygen=

or  $\begin{array}{c} \text{---N---} \\ | \\ \text{R}^3 \end{array}$ ; and R<sup>3</sup> is a member selected from the group consisting of H or C<sub>1-12</sub> hydrocarbyl group; and

b) a polymer having the ~~structure~~ structural formula:



(II)

wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R<sup>e</sup> is a member selected from the group consisting of CH<sub>3</sub> or H; and


c) a cure system.

17. (Currently Amended) The curable composition of claim 16 wherein said reaction product has a skin over time when exposed to curingly effective conditions of ~~about~~ 15 minutes or less.

18. (Currently Amended) The curable composition of claim 17 wherein said reaction product has a skin over time when exposed to curingly effective conditions ~~is about~~ of 5 minutes or less.

19. (Currently Amended) A method of preparing a curable composition comprising the step of combining:

a) a compound having the structural formula:




wherein R is a C<sub>1-20</sub> alkyl which ~~may be~~ is optionally substituted ~~or unsubstituted~~ or an unsaturated free radical-curing group;

R<sup>1</sup> is hydrogen or a C<sub>1-6</sub> hydrocarbon radical; R<sup>2</sup> is a

hydrolyzable group; X is oxygen, or  $\begin{array}{c} \text{---N---} \\ | \\ \text{R}^3 \end{array}$ ; and R<sup>3</sup> is H or C<sub>1-12</sub> hydrocarbyl group; and

b) a polymer having the structure formula:



wherein A is a backbone selected from the group consisting of organic and siloxane backbones, and R<sup>e</sup> is CH<sub>3</sub> or H.

20. (Original) The method of claim 19, further including the step of incorporating a curing system.